

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	user adj (predefined pre-defined) with (procedure instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:35
L2	27	1 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:35
L3	11	2 and test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:35
L4	6	1 with test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:35
L5	4	4 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:35
S1	3815	remote with (maintain\$3 maintenance) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:45
S2	17253	709/217,223,224,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 14:51
S3	368	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 13:36
S4	413	S1 with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:45

EAST Search History

S5	54	S1 same retriev\$3 with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:01
S6	43	S5 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 14:50
S7	16106	remote with (access\$3) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:11
S8	250	S7 same retriev\$3 with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:58
S9	193	S8 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:02
S10	11	S8.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:02
S11	8	S10 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 14:50
S12	109	remote with (access\$3) with server with file with retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:14
S13	7	remote with (access\$3) with server with file with retriev\$3 with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:11
S14	4	S13 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:13

EAST Search History

S15	159	remote with (access\$3) with server with fix\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:13
S16	10	S15.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:13
S17	9	S16 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:14
S18	15	remote with (monitor\$3) with server with file with retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:16
S19	13	S18 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:16
S20	218	remote with (monitor\$3) with (maintain\$3 maintenance) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:25
S21	153	S20 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:26
S22	24	S2 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:19
S23	625	remote with (maintain\$3 maintenance access\$ monitor\$3) and server with provid\$3 with (access procedure) with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:27
S24	106	S2 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:26

EAST Search History

S25	99	S24 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:27
S26	149	remote with (maintain\$3 maintenance access\$ monitor\$3) same server with provid\$3 with (access procedure) with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:28
S27	93	S26 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:28
S28	13	S27 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:27
S29	0	remote with (maintain\$3 maintenance access\$ monitor\$3) same server with provid\$3 with procedue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:28
S30	38	remote with (maintain\$3 maintenance access\$ monitor\$3) same server with provid\$3 with procedure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:30
S31	26	S30 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:31
S32	16	remote with (maintain\$3 maintenance access\$ monitor\$3) same server with provid\$3 with (procedure access command) adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:31
S33	22	remote with (maintain\$3 maintenance access\$ monitor\$3) same server with provid\$3 with (procedure access command maintenance) adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:39
S34	12	S33 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:39

EAST Search History

S35	1	external with (maintain\$3 maintenance access\$ monitor\$3) same server with provid\$3 with (procedure access command maintenance) adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:39
S36	1	external with (maintain\$3 maintenance access\$ monitor\$3) same server with provid\$3 with (procedure access command maintenance) adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:39
S37	1	S36 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:40
S38	23	retriev\$ adj (procedure access command maintenance) adj (file data) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:41
S39	17	S38 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:45
S40	413	remote with (maintain\$3 maintenance) with server with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:47
S41	46	S4 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:45
S42	39	S41 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:47
S43	9	remote with (maintain\$3 maintenance) with server with command adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:47
S44	2	S43 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:48

EAST Search History

S45	2	retriev\$3 with command adj file with access with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:49
S46	0	S45 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:49
S47	31	command adj file with access with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:49
S48	83	47+ and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:49
S49	24	S47 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:01
S50	0	(retriev\$3 download\$3) adj2 (maintenance maintain\$3) adj (file package tool) with (remote\$2 external\$2) with (fix\$3 correct\$3 maintain\$) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:00
S51	1	(retriev\$3 download\$3) with (maintenance maintain\$3) adj (file package tool) with (remote\$2 external\$2) with (fix\$3 correct\$3 maintain\$) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:01
S52	1	S51 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:41
S53	1	monitor with server with download\$3 with user-predefined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:42
S54	826	control\$3 with (command procedure) with (download\$3 retriev\$3) with (server proxy gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 14:53

EAST Search History

S55	575	S54 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 14:54
S56	53	S55 and 709/217,223,224,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 14:51
S57	127	control\$3 with (command procedure) with (download\$3 retriev\$3) with (server proxy gateway) with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:02
S58	95	S57 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:03
S59	1	control\$3 with (command procedure) with (download\$3 retriev\$3) with (server proxy gateway) with remote\$2 adj2 (recover\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:04
S60	0	S59 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:04
S61	1	control\$3 with (command procedure) with (server proxy gateway) with remote\$2 adj2 (recover\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:04
S62	5	control\$3 with (server proxy gateway) with remote\$2 adj2 (recover\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:04
S63	4	S62 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:09
S64	1	S63 and file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:09

EAST Search History

S65	2	"6826707".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:58
S66	0	S65 and USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:58
S67	0	S65 and serial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:58
S68	0	S65 and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:02
S69	1474	((communication with interface) router) with parallel with serial with USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:04
S70	1443	((communication with interface)) with parallel with serial with USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:04
S71	749	((communication adj interface)) with parallel with serial with USB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:04
S72	52906	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:04
S73	47	S71 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:04
S74	28	S73 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:09

EAST Search History

S75	338	test adj2 (command procedure) with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:10
S76	2	test adj2 (command procedure) with file with recover\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:14
S77	1	S76 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:14
S78	2	test adj2 (command procedure) with file with (reboot\$3 repair\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:10
S79	2	S78 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:10
S80	199	test adj2 (command procedure) with recover\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:15
S82	169	S80 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:16
S83	4	S82 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:14
S84	4	test adj2 (command procedure) with recover\$2 with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:15
S85	2	S84 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:20

EAST Search History

S86	3	user with predefined with (instruction command) with (recover\$3 reboot\$3 repair\$3 (remote adj access\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:20
S87	3	S86 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:01
S88	0	diagonostic with (application program) with user adj (defined predefined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:10
S89	34	diagnostic with (application program) with user adj (defined predefined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:08
S90	26	S89 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:08
S91	2	diagnostic with (application program) with user adj (defined predefined) same test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:08
S92	2	S91 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:11
S93	0	diagon\$9 with (application program) with user adj (defined predefined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:10
S94	114	diagno\$9 with (application program) with ((user adj (defined predefined)) predefined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:11
S95	69	S94 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:11

EAST Search History

S96	22	diagno\$9 with (application program) with ((user adj (defined predefined)) predefined) with test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 18:11
S97	6	S96 and @ad<"20030711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 14:34